

W-11 & W-23 M.I.D.C. Phase 2

Dombivali - 421204. Maharashtra (India)

Material Safety Data Sheet Acetone

Section 1: Chemical Product and Company Identification

Product Identification:

Product Name: Acetone

TSCA: TSCA 8(b) inventory: Acetone

CI#: Not applicable.

CAS#: 67-64-1

Synonym: 2-propanone; Dimethyl Ketone;

Dimethylformaldehyde; Pyroacetic Acid

Chemical Name: Acetone Chemical Formula: C₃H₆O

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS#		% ® ∫	Weight
Acetone	67-64-1	40		100

Toxicological Data on Ingredients: Acetone:

ORAL (LD50): Acute: 5800 mg/kg [Rat]. 3000 mg/kg [Mouse]. 5340 mg/kg [Rabbit] VAPOR (LC50): Acute: 50100 mg/m 8 hours [Rat]. 14100 mg/m 4 hours [Mouse].

Section 3: Hazards Identification

Potential Acute Death Effects: Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH.

MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Not available.

DEVELOMENTAL TOXICITY: Classified Reproductive system / toxin / female, Reproductive system / toxin / male

[SUSPECTED]. The substance is toxic to central nervous system (CNS).

The substance may be toxic to kidneys, the reproductive system, liver, skin.

Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Get medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.



COPY

Material Safety Data Sheet Acetone

Section 4: First Aid Measures continued...

Serious Skin Contact: Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

Serious Inhalation: Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to- mouth resuscitation. Seek medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 465°C (869°F)

Flash Points: CLOSED CUP: -20°C (-4°F). OPEN CVP: -9°C (15.6°F) (Cleveland)

Flammable Limits: LOWER: 2.6% CPRED. 13

Products of Combustion: T lese products are carbon oxides (CO, CO2).

Fire Hazards in Presence of Various Substances: Highly flammable in presence of open flames and sparks, of Heat.

Explosion Hazards in Presence of Various Substances: Risks of explosion of the product in presence of mechanical impact: Not available. Slightly explosive in presence of open flames and sparks, of oxidizing materials, of acids.

Fire Fighting Media and Instructions: Flammable liquid, soluble or dispersed in water.

SMALL FIRE: Use DRY chemical powder.

LARGE FIRE: Use alcohol foam, water spray or fog.

Special Remarks on Fire Hazards: Vapour may travel considerable distance to source of ignition and flash back.

Special Remarks on Explosion Hazards: Forms explosive mixtures with Hydrogen peroxide, Acetic acid, Nitric acid, Nitric acid + Sulfuric acid, Chromic Anydride, Chromyl chloride, Nitrosyl chloride, Hexa chloromelamine, Nitrosyl perchlorate, Nitryl Perchlorate, Permonosulfuric acid, Thiodiglycol + Hydrogen peroxide, Potassium ter-butoxide, Sulfur Di chloride, 1-Methyl-1,3-Butadiene, Bromoform, Carbon, Air, Chloroform, Thitriazyl Perchlorate.



Material Safety Data Sheet Acetone

Section 6: Accidental Release Measures

Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

Large Spill: Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions: Keep locked up.. Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, reducing agents, acids, alkalis.

Storage: Store in a segregated and approved area (flammables area). Keep container in a well-ventilated area. Keep container tightly closed and sealed until ready for use. Keep, way from direct sunlight and heat and avoid all possible sources of ignition (spark or flame). Remote from fire. Protect from light.

Section 8: Exposure Controls/Personal Protection

Engineering Controls. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

Personal Protection: Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved / certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill: Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: TWA: 500 STEL: 750 (ppm) from ACGIH (TLV) [United States]

TWA: 750 STEL: 1000 (ppm) from OSHA (PEL) [United States]

TWA: 500 STEL: 1000 [Australia]

TWA: 1185 STEL: 2375 (mg/m3) [Australia]

TWA: 750 STEL: 1500 (ppm) [United Kingdom (UK)]
TWA: 1810 STEL: 3620 (mg/m3) [United Kingdom (UK)]
TWA: 1800 STEL: 2400 from OSHA (PEL) [United States]
Consult local authorities for acceptable exposure limits.



Material Safety Data Sheet Acetone

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid. Vapor Pressure: 24 kPa (@ 20°C

Odor: Fruity. Mint-like. Fragrant. EtherealVapor Density: 2 (Air = 1)Taste: Pungent, SweetishVolatility: Not available.

Molecular Weight: 58.08 g/mole Odor Threshold: 62 ppm

Color: Colorless. Clear Water/Oil Dist. Coeff.: The product is more soluble in

water; log(oil/water) = -0.2

PH (1% Soln. /water): Not available. Ionicity (in Water): Not available.

Boiling Point: 56.2°C (133.2°F)

Melting Point: -95.35 (-139.6°F)

Dispersion Properties: See solubility in water.

Solubility: Easily soluble in cold water, hot water

Specific Gravity: 0.79 (Water = 1) Critical Temperature: 235°C (455°F)

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, ignition sources, exposure to moistule, air, or water, incompatible materials.

Incompatibility with various substances: Reactive with oxiditing agents, reducing agents, acids, alkalis.

Corrosivity: Non-corrosive in presence of glass

Special Remarks on Reactivity: Not available

Special Remarks on Corrosivity: Not available

Polymerization: Will not occur

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact. Inhalation.

Toxicity to Animals: WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 3000 mg/kg [Mouse]. Acute toxicity of the vapor (LC50): 44000 mg/m3 4 hours [Mouse].

Chronic Effects on Humans: CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH.

DEVELOPMENTAL TOYIGHTY. Classified Degraduative system (houself assale Degraduative system (houself)

DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male [SUSPECTED]. Causes damage to the following organs: central nervous system (CNS). May cause damage to the following organs: kidneys, the reproductive system, liver, skin.

Other Toxic Effects on Humans: Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).



Material Safety Data Sheet Acetone

Section 11: Toxicological Information continued...

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May affect genetic material (mutagenicity) based on studies with yeast (S.cerevisiae), bacteria, and hamster fibroblast cells. May cause reproductive effects (fertility) based upon animal studies. May contain trace amounts of benzene and formaldehyde which may cancer and birth defects. Human: passes the placental barrier.

Special Remarks on other Toxic Effects on Humans: Acute Potential Health Effects:

Skin: May cause skin irritation. May be harmful if absorbed through the skin.

Eyes: Causes eye irritation, characterized by a burning sensation, redness, tearing, inflammation, and possible corneal injury.

Inhalation: Inhalation at high concentrations affects the sense organs, brain and causes respiratory tract irritation. It also may affect the Central Nervous System (behavior) characterized by dizziness, drowsiness, confusion, headache, muscle weakness, and possibly motor in coordination, speech abnormalities, narcotic effects and coma. Inhalation may also affect the gastrointestinal tract (nausea, vomiting).

Ingestion: May cause irritation of the digestive (gastrointestinal) tract (nausea, vomiting). It may also affect the Central Nervous System (behavior), characterized by depression, fatigue, excitement, super coma, headache, altered sleep time, ataxia, tremors as well at the blood, liver, and urinary system (kidney, bladder, ureter) and endocrine system. May ERENC also have musculoskeletal effects.

Chronic Potential Health Effects:

Skin: May cause dermatitis.

Eyes: Eye irritation.

Section 12: E cological Information

Ecotoxicity: Ecotoxicity in water (LC50): 5540 mg/l 96 hours [Trout]. 8300 mg/l 96 hours [Bluegill]. 7500 mg/l 96 hours [Fatthead Minnow]. 0.1 ppm any hours [Water flea].

BOD5 and COD: Not available.

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available

Section 13: Disposal Considerations

Waste Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations.



Material Safety Data Sheet Acetone

Section 14: Transport Information

Dot Classification: CLASS-3: Flammable liquid. Identification: Acetone UNNA: 1090 PG: II Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations: California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (male) which would require a warning under the statute: Benzene California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: Benzene California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Benzene, Formaldehyde Connecticut hazardous material survey.: Acetone Illinois toxic substances disclosure to employee act: Acetone Illinois chemical safety act: Acetone New York release reporting list: Acetone Rhode Island RTK hazardous substances: Acetone Pennsylvania RTK: Acetone Florida: Acetone Minnesote Acetone Massachusetts RTK: Acetone Massachusetts spill list: Acetone New Jersey: Acetone New y spill list: Acetone Louisiana spill reporting: Acetone California List of Hazardous Substances (8 CCR 33 RENCË

TSCA 8(b) inventory: Acetone TSCA 4(a) final test rules: Acetone

TSCA 8(a) IUR: Acetone

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada):

CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F).

CLASS D-2B: Material causing other toxic effects (TOXIC).

DSCL (EEC):

R11- Highly flammable.

R36- Irritating to eyes.

S9- Keep container in a well-ventilated place.

S16- Keep away from sources of ignition - No smoking.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

HMIS (U.S.A.): Health Hazard: 2 Fire Hazard: 3



Material Safety Data Sheet Acetone

Section 15: Other Regulatory Information continued...

Reactivity: 0

Personal Protection: h

National Fire Protection Association (U.S.A.):

Health: 1

Flammability: 3
Reactivity: 0
Specific hazard:

Protective Equipment:

Gloves, Lab coat, Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16: Other Information

References:

Material safety data sheet issued by: la Commission de la Santé et de la SécuritÃØ do Trevail du Québec

The Sigma- Aldrich Library of Chemical Safety Data, Edition II.

Hawley, G.G... The Condensed Chemical Dictionary, 11e ed., New York N.Y., Van Nostrand Reinold, 1987.

LOLI, RTECS, HSDB databases.

Other MSDSs.

Other Special Considerations: Not available

Created: 07/01/2916 11:13 Hr

Last Updated: 04/0 \(2021 10:11 Hrs

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event **Runa Chemicals Pvt. Ltd** shall be liable for any claims, losses or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, how so ever arising, even if **Runa Chemicals Pvt. Ltd** has been advised of the possibility of such damages.